IDP OneLogin - OpenID Connect

Instructions

Sign in to your OneLogin portal			
		onelogin	
	Username		
	Remembe	r my username	
		Continue	
		Forgot Password	
Go to the Applications tab and click on Applications	Onellogin Users Applications Devices Authentication Activity Security Bettings Devices Login Information Applications Activity Security Bettings Devices No Login Data available Desicon Connectors Desicon Connectors		
	Reports	Certificate Management	0 expired certs
	Assumed user activity last 3 months	Low Strength Certificate (1024-bit) Expires in 1826 days	Manage
	New users	Standard Strength Certificate (2048-bit) Expires in 1826 days	Manage
	Privileged users		
	Applications		
	Users by group	App Security	
	Weak passwords	Current Polential	
	SAML App Security Opportunities	0	
	High-risk events	SAML SECURITY OPPORTUNITIES	
	Unlicensed users	Increase security by moving forms based apps to SAML	
	Users and privileges	Great job! All apps are secured with SAML.	
	Inactive users		
Click on the Add Ann button		V	
	Applications	evices Authentication Activity Security Settings Developers	Add App
	Q search company apps		
	No company apps have been added.		

 In the search bar, enter oidc Click on OpenId Connect (OIDC) 	onelogin users Applications Devices Authentication Activity Security Settings Developers		
	Q <mark>oidc</mark>	Enter "oidc"	
	Autotask OIDC Autotask Corpora	ation OpenID Connect	
	Borrowbox(OIDC OneLogin, Inc.) OpenID Connect	
	OpenId Connect OneLogin, Inc.	(OIDC) 2 OpenID Connect	
	open Openpath OIDC Openpath	OpenID Connect	
 Display Name: Name the application as you wish (e.g. "Inova") Click on Save 	onclogin Users Applications Devices Authentication Activity Security Security Developers Organization App Listing / Add OpenId Connect (OIDC) 2 Composition Save Save		
	Configuration	Portal Display Name Thora Visible in portal	
		Rectingular icon Square icon (i) Upload an icon with an aspect-ratio of 2.64.1 as either a transparent. PNO or .SVO (i) Upload a square icon at least 512x512px as either a transparent. PNO or .SVO	
		Description 200 characters	
 Click on Configuration Login Url: https://<realm_name>.partneringplace.com/inova-partner</realm_name> Redirect URI's: 	Onelogin Users Applications / OpenId Connect (OIDC)	ons Devices Authentication Activity Security Settings Developers	
 https://auth.inova-application.com/auth/realms/<realm_name> /broker/oidc-onelogin/endpoint</realm_name> Click on Save 	Info Configuration Parameters Dutes	Application details Legin Url https://tenant.partneringplace.com/inova-partner Redirect.URFs	
IMPORTANT: Please ensure that the domain auth.inova- application.com is whitelisted on your end	Rules SSO Access Users	https://auth.inove-application.com/auth/realms/Tenant/broker/auto-rendpoint	
Replace <realm_name> by the one provided by Inova.</realm_name>	Privileges Setup	After the user is authenticated we only allow redirects back to entries on this comma (or new-line) separated list of uris, and HTTPS is required. http://localhoat is permitted for development purposes only and should not be used in production. Post Lopout Redirect URis	

 Click on SSO Client ID: Copy and note the Client ID Client Secret: Copy and note the Client Secret Issuer URL: Right-click on Well-known Configuration Issuer URL: Click on Copy link address and Note it Authentication Method: Select POST Click on Save 	OneOgin user Applications / OpenId Connect (OIDC) 2 manufactors / OpenId Connect (OIDC) 2 manufactors / OpenId Connect (OIDC) 2 manufactors / OpenId Connect Corpt on clocksord Rules Rules Sso Access Users Phrileges Setup Corpt on clocksord Regenerate clean secret Copy and Note
 Click on Users Add the application users Click on Save Make sure that the Inova users are added, otherwise they won't be able to sign in to the application. 	Onelogin Verse Applications Devices Authentication Activity Security Security
Send the elements you noted previously to Inova: 1. Client ID 2. Client Secret 3. Issuer URL (Well-known Configuration)	<u>≓</u> ∑ r înova